

MATERIAL SAFETY DATA SHEET

Product Code: M0765: File S:\MultiSeal.doc

Page 1 of 3, Issue No 1, Last revision: March 2006, Date of Issue: 21/11/2008

SECTION 1 – STATEMENT OF HAZARDOUS NATURE, CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF NOHSC BUT NOT CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO THE ADG CODE.

Klen International (74) Pty Ltd
19 Motivation Drive
Wangara WA 6065
EMAIL: info@klen.com.au
ABN: 25 008 776 681
TEL: (08) 9302 4000
FAX: (08) 9302 5000
TOLL FREE: 1800 999 196

CONTACT POINT - Chemist - TELEPHONE (08) 9302 4000
EMERGENCY TELEPHONE NUMBER: A/H 0419 906 672 or Toll Free 1800 999 196

Product Name: PREMIUM MULTISEAL

Use: *Acrylic masonry, slate and tile sealer*

SECTION 2 – HAZARDS IDENTIFICATION

Emergency Overview: May cause irritation to skin and eyes. A skin sensitizer.

Health Effects

Acute:

Swallowed: Ingestion is likely to cause nausea, gastric pain and possible vomiting.

Eye: Mildly irritating to the eye due to alkaline pH.

Skin: Mildly irritating to the skin as film may dry on the skin and cause redness and itching.
May cause skin sensitization.

Inhaled: Inhalation of vapour over prolonged periods may cause mild headache and nausea.

Chronic: No chronic effects known

SECTION 3 – COMPOSITION & INFORMATION ON INGREDIENTS

CAS#	Chemical Name	%
Confidential	Acrylic Polymers	10 - 30 %
34590-94-8	Dipropylene glycol monomethyl ether	< 10 %
-	Non Hazardous materials	To 100 %

SECTION 4 – FIRST AID MEASURES

Swallowed: Do not induce vomiting. Give 1 to 2 glasses of water. Seek medical advice.

Eye: Hold affected eye open and flush with running water for at least 15 minutes.

Skin: Remove contaminated clothing and wash affected area well with running water. If irritation persists, seek medical advice.

Inhaled: Remove patient to fresh air and keep warm and rested. If difficulty in breathing occurs, contact a doctor.

Advice to doctor: Treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability: Not combustible.

Fire/Explosion Hazard: If involved in a fire may generate carbon monoxide, carbon dioxide and NO_x.

Acceptable Extinguishing Methods: Water, Foam, Dry Chemical and CO₂.

MATERIAL SAFETY DATA SHEET

Product Code: M0765; File S:\MultiSeal.doc

Page 2 of 3, Issue No 1, Last revision: March 2006, Date of Issue: 21/11/2008

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills: Absorb large spills on sand or earth and collect for disposal in clean, labelled containers. Flush small spills and residues to drain with excess water.

SECTION 7 – HANDLING AND STORAGE

Storage: Store in cool, dry, well ventilated area. Reseal container after use.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

NOHSC Exposure Standards: Product: Not assigned.

Dipropylene glycol methyl ether: TWA 606 mg/m³; STEL 909 mg/m³

Engineering Controls: Ensure area ventilated.

Personal Protection:

Eye: Safety glasses or goggles.

Hand: PVC gloves

Respirator Type: Not normally required. Respirator with an organic gas filter.

Protective Clothing: Rubber apron and safety shoes

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Milky white liquid

Boiling Point (°C): 100 approx

Melting Point (°C): No data

Specific Gravity: 1.01

Vapour Pressure (Pa or mm of Hg at 25°C): No Data

Flashpoint (°C): Not Applicable

Flammability Limits (%): LEL - Not Applicable; UEL - Not Applicable

Solubility in Water (g/L): Soluble

SECTION 10 – STABILITY AND REACTIVITY

Incompatibilities: oxidizing agents or strong acids.

SECTION 11 – TOXICOLOGICAL INFORMATION

No data

SECTION 12 – ECOLOGICAL INFORMATION

No data

SECTION 13 – DISPOSAL

Disposal: Refer to Local and State Trade Waste regulations.

SECTION 14 – TRANSPORT INFORMATION

Australian Dangerous Goods Classification: Not regulated for transport.

SECTION 15 – REGULATORY INFORMATION

Australian Inventory of Chemical Substances: All ingredients present on AICS

SUSDP Labelling: Not a scheduled poison

NOHSC (Worksafe) Labelling: Xi irritant. R43 May cause sensitisation by skin contact. R36/38

Irritating to eyes and skin. S2 Keep out of the reach of children. S26 In case of

contact with eyes, rinse immediately with plenty of water and seek medical

advice. S28 After contact with skin, wash immediately with plenty of soap-suds.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

MATERIAL SAFETY DATA SHEET

Product Code: M0765: File S:\MultiSeal.doc

Page 3 of 3, Issue No 1, Last revision: March 2006, Date of Issue: 21/11/2008

SECTION 16 – OTHER INFORMATION

The above information is accurate to the best of the knowledge available to us. However since data safety standards and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control we make no warranty, whether express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Users should satisfy themselves that they have all current data relevant to their particular use.